

Job Ref. C&P/2023-06-21-016

GOOD TECH ENTERPRISE

NO. 7, 1ST FLOOR, JALAN SERI BETIK, TAMAN SERI BETIK, 14000 BUKIT MERTAJAM, PENANG.

The following sample(s) was/were submitted and identified by applicant as: SAMPLE DESCRIPTION : MOULD ANTI RUST AGENT - 468ML

SAMPLE RECEIVED : 21-June-2023

TESTING PERIOD : 21-June-2023 to 06-July-2023

TEST REQUESTED : Selected test(s) as requested by customer

TEST METHOD : -PLEASE REFER TO NEXT PAGE(S)TEST RESULTS : -PLEASE REFER TO NEXT PAGE(S)-

REMARKS : 1) This report supersedes report no.: CPSA/230715148-CB25761.

CONCLUSION :

Test Requested	Conclusion
EU RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU-	PASS
Lead, Mercury, Cadmium, Hexavalent chromium, Polybrominated	
biphenyls(PBBs), Polybrominated diphenyl ethers (PBDEs), Bis(2-ethylhexyl)	
phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP) and	
Diisobutyl phthalate (DIBP)	

SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHD

TECHNICAL MANAGER **
IKM No. M/3452/6047/11/12

TAY SIAM PINE

Test Report Form No.: SGS/TR/CP/013, Ver. 6.0, Effective Date: 07/07/2021

10871-1

Page 1 of 9



Job Ref. C&P/2023-06-21-016

TEST RESULTS:

Test Part Description

Sample Description: -PLEASE REFER TO PAGE 1-

RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU

Test Parameter(s):	Unit	Test Method	Result	MDL	Limit
Cadmium (Cd)	mg/kg	With reference to IEC 62321-5:2013. Analysis performed by ICP-OES. (Decision rule: refer Appendix, category 3)	N.D.	2	Max 100
Lead (Pb)	mg/kg	With reference to IEC 62321-5:2013. Analysis performed by ICP-OES. (Decision rule: refer Appendix, category 3)	N.D.	2	Max 1000
Mercury (Hg)	mg/kg	With reference to IEC 62321-4:2013+A1:2017.Analysis performed by ICP-OES.(Decision rule:refer Appendix, category 3)	N.D.	2	Max 1000
Hexavalent Chromium (CrVI)	mg/kg	With reference to IEC 62321-7-2:2017. Analysis performed by Colorimetric Method using UV-Vis. (Decision rule: refer Appendix category 3)	N.D.	8	Max 1000
Sum of PBBs	mg/kg	With reference to IEC 62321-6:2015. Analysis performed by GC-MS.(Decision rule: refer to Appendix, category 3)	N.D.	5	Max 1000
Monobromobiphenyl	mg/kg	With reference to IEC 62321-6:2015. Analysis performed by GC-MS.(Decision rule: refer to Appendix, category 3)	N.D.	5	-
Dibromobiphenyl	mg/kg	With reference to IEC 62321-6:2015. Analysis performed by GC-MS.(Decision rule: refer to Appendix, category 3)	N.D.	5	-
Tribromobiphenyl	mg/kg	With reference to IEC 62321-6:2015. Analysis performed by GC-MS.(Decision rule: refer to Appendix, category 3)	N.D.	5	-
Tetrabromobiphenyl	mg/kg	With reference to IEC 62321-6:2015. Analysis performed by GC-MS.(Decision rule: refer to Appendix, category 3)	N.D.	5	-
Pentabromobiphenyl	mg/kg	With reference to IEC 62321-6:2015. Analysis performed by GC-MS.(Decision rule: refer to Appendix, category 3)	N.D.	5	-
Hexabromobiphenyl	mg/kg	With reference to IEC 62321-6:2015. Analysis performed by GC-MS.(Decision rule: refer to Appendix, category 3)	N.D.	5	-
Heptabromobiphenyl	mg/kg	With reference to IEC 62321-6:2015. Analysis performed by GC-MS.(Decision rule: refer to Appendix, category 3)	N.D.	5	-
Octabromobiphenyl	mg/kg	With reference to IEC 62321-6:2015. Analysis performed by GC-MS.(Decision rule: refer to Appendix, category 3)	N.D.	5	-

SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHD

TAY SIAM PINE TECHNICAL MANAGER IKM No. M/3452/6047/11/12

Test Report Form No.: SGS/TR/CP/013, Ver. 6.0, Effective Date: 07/07/2021

Page 2 of 9

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/terms-and-conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (for perishable samples) or 30 days only from date of report.



Job Ref. C&P/2023-06-21-016

TEST RESULTS:

Test Part Description

Sample Description: -PLEASE REFER TO PAGE 1-

RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU

Test Parameter(s):	Unit	Test Method	Result	MDL	Limit
Nonabromobiphenyl	mg/kg	With reference to IEC 62321-6:2015. Analysis performed by GC-MS.(Decision rule: refer to Appendix, category 3)	N.D.	5	-
Decabromobiphenyl	mg/kg	With reference to IEC 62321-6:2015. Analysis performed by GC-MS.(Decision rule: refer to Appendix, category 3)	N.D.	5	-
Sum of PBDEs	mg/kg	With reference to IEC 62321-6:2015. Analysis performed by GC-MS.(Decision rule: refer to Appendix, category 3)	N.D.	5	Max 1000
Monobromodiphenyl ether	mg/kg	With reference to IEC 62321-6:2015. Analysis performed by GC-MS.(Decision rule: refer to Appendix, category 3)	N.D.	5	-
Dibromodiphenyl ether	mg/kg	With reference to IEC 62321-6:2015. Analysis performed by GC-MS.(Decision rule: refer to Appendix, category 3)	N.D.	5	-
Tribromodiphenyl ether	mg/kg	With reference to IEC 62321-6:2015. Analysis performed by GC-MS.(Decision rule: refer to Appendix, category 3)	N.D.	5	-
Tetrabromodiphenyl ether	mg/kg	With reference to IEC 62321-6:2015. Analysis performed by GC-MS.(Decision rule: refer to Appendix, category 3)	N.D.	5	-
Pentabromodiphenyl ether	mg/kg	With reference to IEC 62321-6:2015. Analysis performed by GC-MS.(Decision rule: refer to Appendix, category 3)	N.D.	5	-
Hexabromodiphenyl ether	mg/kg	With reference to IEC 62321-6:2015. Analysis performed by GC-MS.(Decision rule: refer to Appendix, category 3)	N.D.	5	-
Heptabromodiphenyl ether	mg/kg	With reference to IEC 62321-6:2015. Analysis performed by GC-MS.(Decision rule: refer to Appendix, category 3)	N.D.	5	-
Octabromodiphenyl ether	mg/kg	With reference to IEC 62321-6:2015. Analysis performed by GC-MS.(Decision rule: refer to Appendix, category 3)	N.D.	5	-
Nonabromodiphenyl ether	mg/kg	With reference to IEC 62321-6:2015. Analysis performed by GC-MS.(Decision rule: refer to Appendix, category 3)	N.D.	5	-
Decabromodiphenyl ether	mg/kg	With reference to IEC 62321-6:2015. Analysis performed by GC-MS.(Decision rule: refer to Appendix, category 3)	N.D.	5	-

SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHD

TAY SIAM PINE
TECHNICAL MANAGER
IKM No. M/3452/6047/11/12

Test Report Form No.: SGS/TR/CP/013, Ver. 6.0, Effective Date: 07/07/2021

Page 3 of 9

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/terms-and-conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (for perishable samples) or 30 days only from date of report.



Job Ref. C&P/2023-06-21-016

Note: (a) mg/kg = ppm; ug/kg = ppb (0.01 mg/kg = 10 ug/kg); 0.1wt% = 1000ppm

(b) N.D. = Not Detected

(c) MDL = Method Detection Limit

(d) - = Not regulated

(e) The maximum permissible limit is quoted from RoHS Directive (EU) 2015/863.

- (f) a. The sample is positive for CrVI if the CrVI concentration is greater than 0.13 μg/cm². The sample coating is considered to contain CrVI.
 - b. The sample is negative for CrVI if CrVI is N.D. (concentration less than 0.10 $\mu g/cm^2$). The coating is considered a non-CrVI based coating.
 - c. The result between 0.10 μ g/cm² and 0. $\overset{7}{3}$ μ g/cm² is considered to be inconclusive unavoidable coating variations may influence the determination.

For corrosion protection coatings on metals: Information on storage conditions and production date of the tested sample is unavailable and thus results of Cr(VI) represent status of the sample at the time of testing.

SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHD

SGS (MALAYSIA) SDN BHD

SGS (MALAYSIA) SDN BHD

SGS (MALAYSIA) SDN BHD

10871-T

TECHNICAL MANAGER

IKM No. M/3452/6047/11/12

Test Report Form No.: SGS/TR/CP/013, Ver: 6.0, Effective Date: 07/07/2021

Page 4 of 9

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/terms-and-conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (for perishable samples) or 30 days only from date of report.



Job Ref. C&P/2023-06-21-016

TEST RESULTS:

Test Part Description

Sample Description: -PLEASE REFER TO PAGE 1-

RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU

Test Parameter(s):	Unit	Test Method	Result	MDL	Limit
Dibutyl phthalate (DBP) (CAS No. 84-74-2)	mg/kg	With reference to IEC 62321-8:2017. Analysis performed by GC-MS.(Decision rule:refer Appendix, category 3)	N.D.	50	Max 1000
Benzyl butyl phthalate (BBP) (CAS No. 85-68-7)	mg/kg	With reference to IEC 62321-8:2017.Analysis performed by GC-MS.(Decision rule:refer Appendix, category 3)	N.D.	50	Max 1000
Di(2-ethylhexyl) phthalate (DEHP) (CAS No. 117-81-7)	mg/kg	With reference to IEC 62321-8:2017.Analysis performed by GC-MS.(Decision rule:refer Appendix, category 3)	N.D.	50	Max 1000
Diisobutyl phthalate (DIBP) (CAS No. 84-69-5)	mg/kg	With reference to IEC 62321-8:2017.Analysis performed by GC-MS.(Decision rule:refer Appendix, category 3)	N.D.	50	Max 1000

Note : (a) mg/kg = ppm; ug/kg = ppb (0.01 mg/kg = 10 ug/kg); 0.1wt% = 1000ppm

(b) N.D. = Not Detected

(c) MDL = Method Detection Limit

(d) - = Not regulated

(e) The maximum permissible limit is quoted from RoHS Directive (EU) 2015/863.

(f) The restriction of DEHP, BBP, DBP and DIBP shall apply to medical devices, including in vitro medical devices, and monitoring and control instruments, including industrial monitoring and control instruments, from 22 July 2021.

SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHD

TAY SIAM PINE
TECHNICAL MANAGER

IKM No. M/3452/6047/11/12

Test Report Form No.: SGS/TR/CP/013, Ver. 6.0, Effective Date: 07/07/2021

Page 5 of 9



No. CPSA/230715267-CB25761 Job Ref. C&P/2023-06-21-016

REPORTED DATE: 05-July-2023

Appendix

Category	Decision Rule Statement
1	Based on binary statement with guard band (equal to the expanded measurement uncertainty with a 95% coverage probability, w=U95) in ILAC-G8:09/2019 Clause 4.2.2.
2	According to IEC 62321-7-1 Edition 1.0 2015-09 Section 7: Table 1- Comparison to standard and interpretation of result.
3	Based on binary statement for simple acceptance rule (w=0) in ILAC-G8:09/2019 Clause 4.2.1.
4	Based on non-binary statement with guard band (equal to the expanded measurement uncertainty with a 95% coverage probability, w=U95) in ILAC-G8:09/2019 Clause 4.2.3. A. "Pass - the measured value is within (or below / above) the acceptance limit, where the acceptance limit is below / above to the guard band." or "Pass - The measured values were observed in tolerance at the points tested. The specific false accept risk is up to 2.5%.". B. "Conditional Pass - The measured values were observed in tolerance at the points tested. However, a portion of the expanded measurement uncertainty intervals about one or more measured values exceeded / out of tolerance. When the measured result is close to the tolerance, the specific false accept risk is up to 50%.". C. "Conditional Fail - One or more measured values were observed out of tolerance at the points tested. However, a portion of the expanded measurement uncertainty intervals about one or more measured values were in tolerance. When the measured result is close to the tolerance, the specific false reject risk is up to 50%." D. "Fail - the measured value is out of (or below / above) the tolerance limit added / subtracted to the guard band." or "Fail - One or more measured values were observed out of tolerance at the points tested". The specific false reject risk is up to 2.5%.
5	According to IEC 62321-3-1 Edition 1.0 2013-06 Annex A.3 Interpretation of result.
Remark	When decision rule is not feasible to be used and the uncertainty of the result is available to be provided, the uncertainty range of result will be shown in the report. Otherwise, only result will be shown in the report.

SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHD 10871-1 TAY SIAM PINE TECHNICAL MANAGÈR

IKM No. M/3452/6047/11/12

Test Report Form No.: SGS/TR/CP/013, Ver. 6.0, Effective Date: 07/07/2021

Page 6 of 9

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/terms-and-conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients' instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (for perishable samples) or 30 days only from date of report.



No. CPSA/230715267-CB25761 Job Ref. C&P/2023-06-21-016 **REPORTED DATE:** 05-July-2023

Test Part Description:

Sample Description: -PLEASE REFER TO PAGE 1-

GOOD TECH ENTERPRISE

CB25761



SGS authenticate the photo on original report only

SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHOSIA SGS (MALAYSIA) SDN BHOSIA SGS (MALAYSIA) S

Test Report Form No.: SGS/TR/CP/013, Ver: 6.0, Effective Date: 07/07/2021

Page 7 of 9

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/terms-and-conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients' instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (for perishable samples) or 30 days only from date of report.



No. CPSA/230715267-CB25761 Job Ref. C&P/2023-06-21-016

REPORTED DATE:

05-July-2023

1. DETERMINATION OF CADMIUM CONTENT BY IEC 62321-52013

Sample Receiving and Registration

Sample Preparation

Weigh sample (0.2-0.5g) into digestion vessel

Acid digestion (Microwave)

"Totally Dissolved"

Filtration

Analysesby ICP

2. DETERMINATION OF LEAD CONTENT BY IEC 62321-52013

Sample Receiving and Registration

Sample Preparation

Weigh sample (0.2-0.5g) into digestion vessel

Acid digestion(Microwave)

"TotallyDissolved"

Filtration

Analyses by ICP

3. DETERMINATION OF MERCURY CONTENT BY IEC 62321-4 2013/AMD 1 2017

Sample Receiving and Registration

Sample Preparation

Weigh sample (0.1-0.5g) into digestion vessel

Acid digestion(Microwave)

"TotallyDissolved"

Filtration

Analyses by ICP

4a. DETERMINATION OF HEXAVALENT CHROMIUM BY IEC 62321-7-22017 (Other Materials)

Sample Preparation

Digestionat 150~160°C

Separating to Obtain Aqueous Phase

pH Adjustment

Add Diphenyl-Carbazide for Color Development

Analyses by UV-Spectrophotometer (540 nm)

4b. DETERMINATION OF HEXAVALENT CHROMIUM BY IEC 62321-7-22017 (Soluble Polymers)

Sample Preparation

Add Digestion Solution

Ultrasonicate Sample

pH Adjustment

Add Diphenyl-Carbazide for Colour Development

Analyses by UV-Spectrophotometer (540 nm)

5. DETERMINATION OF PBB/PBDE WITH GC-MS BY IEC 62321-62015

Sample Preparation

Weigh sample (0.5-4.0g) into extraction thimble

Soxhlet Extraction with Toluene

Filter through 0.45 um membrane filter

Analyses by GC-MS (with appropriate dilution)

SIGNED FOR AND ON BEHALF OF

SGS (MALAYSIA) SDN BHD 10871-TAY SIAM PINE TECHNICAL MANAGÈR IKM No. M/3452/6047/11/12

Test Report Form No.: SGS/TR/CP/013, Ver. 6.0, Effective Date: 07/07/2021

Page 8 of 9

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/terms-and-conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (for perishable samples) or 30 days only from date of report.




No. CPSA/230715267-CB25761 Job Ref. C&P/2023-06-21-016

2023-06-21-016

REPORTED DATE:

05-July-2023



SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHD

TAY SIAM PINE
TECHNICAL MANAGER
IKM No. M/3452/6047/11/12

Test Report Form No.: SGS/TR/CP/013, Ver. 6.0, Effective Date: 07/07/2021

*** End of test report ***

Page 9 of 9

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/terms-and-conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (for perishable samples) or 30 days only from date of report.