



Installation Instructions For

2021-2025 BMW G8X M2 M3 M4 S58 3.0L
(S5802)

KIT CONTENTS

NO.	DESCRIPTION	QTY
1	6" Intake Tube	1
2	Heat Shield	1
3	M6 Bolt	3
4	M6 Washer	3
5	ALU Mount	3
6	6" Air Filter	1
7	63-63mm Silicone Hose	1
8	70-70mm Silicone Hose	1
9	70mm Clamp	4

Please Check the Contents of this box immediately.

Report any defective or missing parts to us or our dealer that you purchased this product from.

Before installing any parts of this system, please read the instructions thoroughly. If you have any questions regarding installation please contact the our dealer or local modified car factory.

Installing does require some mechanical skills. A qualified mechanic is always recommended.

※Do not attempt to install the intake system while the engine is hot. The installation may require removal of radiator fluid line that may be hot.

MST Performance Auto Parts offers a limited lifetime warranty to the original purchaser against defects in materials and workmanship. Warranty claims must be handled through the dealer from which the item was purchased.

*All installation of parts must be performed by a trained professional.






Figure 1: Stock air box. Remove 15mm 13mm bolts center and the strut brace.



Figure 4: Remove the wire clips.




Figure 2: Remove the plastic tabs.




Figure 5: Remove the tube and air box.




Figure 3: Disconnect the sensor.



Figure 6: Remove the wire clips.



Figure 7: Remove the tube and air box.



Figure 10: Install the ALU mount on heatshield. x 3.



Figure 8: Install silicone hose on the turbo.



Figure 11: Install the MST air filter.




Figure 9: Install silicone hose on the turbo.



Figure 12: Install the MST tube and heatshield.




Figure 13: Congratulations! You have just completed the installation of this intake system. Periodically, check the alignment of the intake, normal wear and tear can cause nuts and bolts to come loose.