



Suction Cup - MX Single Layer


MYS-MX06-I





MYS-MX08-I




MYS-MX10-I




MYS-MX12-I




MYS-MX15-I




MYS-MX20-I




MYS-MX25-I




MYS-MX30-I



MYS-MX40-I




MYS-MX50-I




Suction Cup - MX Double Layer


MYS-MX06-II




MYS-MX08-II




MYS-MX10-II




MYS-MX12-II




MYS-MX15-II




MYS-MX20-II




MYS-MX25-II




MYS-MX30-II



MYS-MX40-II




MYS-MX50-II




Suction Cup - MX Triple Layer


MYS-MX08-III




MYS-MX10-III




MYS-MX12-III




MYS-MX15-III




MYS-MX20-III




MYS-MX25-III




MYS-MX30-III



MYS-MX40-III




MYS-MX50-III




Suction Cup - MM (Mini Type)


MYS-MM02-I




MYS-MM04-I




MYS-MM06-I




MYS-MM08-I




MYS-MM10-I




MYS-MM07-II




MYS-MM09-II




MYS-MM05-III



MYS-MM07-III




MYS-MMF02-I (Mark Free)




Suction Cup - YS (Yushin) Single Layer


MYS-YS06-I




MYS-YS08-I




MYS-YS10-I




MYS-YS12-I




MYS-YS15-I




MYS-YS20-I



MYS-YS25-I




MYS-YS30-I




Suction Cup - YS (Yushin) Triple Layer


MYS-YS06-III




MYS-YS08-III




MYS-YS10-III




MYS-YS12-III



MYS-YS15-III




MYS-YS20-III




Suction Cup - HM (Harmo) Single Layer




MYS-HM04-I




MYS-HM06-I




MYS-HM08-I




MYS-HM10-I




MYS-HM12-I




MYS-HM15-I




MYS-HM20-I



MYS-HM25-I




MYS-HM30-I




Suction Cup - HM (Harmo) Double Layer




MYS-HM06-II




MYS-HM08-II




MYS-HM10-II




MYS-HM12-II




MYS-HM15-II




MYS-HM20-II



MYS-HM25-II




MYS-HM30-II




Suction Cup - HM (Harmo) Triple Layer




MYS-HM06-III




MYS-HM08-III



MYS-HM10-III




MYS-HM15-III




Suction Cup - MXF(Mark Free) Single Layer




MYS-MXF20-I





MYS-MXF30-I



MYS-MXF40-I




MYS-MXF50-I




Suction Cup - MXS (Anti-Static) Single Layer




MYS-MXS15-I




MYS-MXS20-I



MYS-MXS25-I



MYS-MXS30-I




MYSCH-MX-A



Model: **MYSCH-MX-A**
Type: MX
Stroke: 8 mm
Total Length: 54 mm
Thread Size: M12

MYSCH-MX-B



Model: **MYSCH-MX-B**
Type: MX
Stroke: 6.5 mm
Total Length: 56 mm
Thread Size: M12

MYSCH-MX-C



Model: **MYSCH-MX-C**
Type: MX
Stroke: 26 mm
Total Length: 74 mm
Thread Size: M12

MYSCH-MX-D



Model: **MYSCH-MX-D**
Type: MX
Stroke: 17 mm
Total Length: 70 mm
Thread Size: M12

MYSCH-MX-E



Model: **MYSCH-MX-E**
Type: MX (Plastic)
Stroke: 10 mm
Total Length: 52 mm
Thread Size: M12

MYSCH-MX-F



Model: **MYSCH-MX-F**
Type: MX (Deflon)
Stroke: 10, 15, 20, 25 mm
Total Length: 36, 48, 58, 68 mm
Thread Size: M16

MYSCH-MX-FM5




Model: **MYSCH-MX-FM5**
Type: MX (Fixed)
Stroke: None
Total Length: 22 mm
Thread Size: M5

MYSCH-MX-FM4




Model: **MYSCH-MX-FM4**
Type: MX (Fixed)
Stroke: None
Total Length: 23 mm
Thread Size: M4

MYSCH-HM-A



Model: **MYSCH-HM-A**
Type: HM (Harmo)
Stroke: 9 mm
Total Length: 43 mm
Thread Size: M8

MYSCH-YS-A



Model: **MYSCH-YS-A**
Type: YS (Yushin)
Stroke: 4.6 mm
Total Length: 48 mm
Thread Size: M12

MYSCH-MM-A




Model: **MYSCH-MM-A**
Type: MM (Mini)
Stroke: 16 mm
Total Length: 62 mm
Thread Size: M8

MYSCH-MM-B




Model: **MYSCH-MM-B**
Type: MM (Mini)
Stroke: 9.5 mm
Total Length: 44 mm
Thread Size: M8

3 Layer Aluminium Profile




Model: **MYALU-MX-3**
Type: **MX**
Length: **1 meter**

2 Layer Aluminium Profile




Model: **MYALU-MX-2**
Type: **MX**
Length: **1 meter**

Aluminium Profile Link Block




Model: **MYZ-MX001**
Type: **MX**

Aluminium Profile Long Slide Block (M5)




Model: **MYZ-MX006**
Type: **MX**

Suction Cup Holder Mounting




Model: **MYZ-MX003**
Type: **MX**

Aluminium Profile Long Slide Block (M4)




Model: **MYZ-MX005**
Type: **MX**

Aluminium Profile Short Slide Block




Model: **MYZ-MX007**
Type: **MX**

EOAT Fixed Block



Model: **MYZ-MX002**
Type: **MX**

Suction Cup Holder Mounting



Model: **MYZ-MX004**
Type: **MX (For HM Suction Cup Holder)**

MYC-1210



Model: **MYC-1210**
 Stroke: 10 mm
 Screw Size: M4
 Remark:
 Gripper Plate Included
 Mounting with MYZ-MX004

MYC-1210S



Model: **MYC-1210S**
 Stroke: 10mm
 Screw Size: M4
 Remark:
 Gripper Plate I MYZ-MX004
 Come with switch
 Mounting with MYZ-MX004

MYC-1815



Model: **MYC-1815**
 Stroke: 15mm
 Screw Size: M4
 Remark:
 Mounting with MYZ-MX004

MYC-1820



Model: **MYC-1820**
 Stroke: 20mm
 Screw Size: M4
 Remark:
 Mounting with MYZ-MX004

MYMCD-10



Model: **MYMCD-10**
 Stroke: 10mm
 Screw: M4
 Remark:

MYUMCD-10



Model: **MYUMCD-10**
 Stroke: 10mm
 Screw Size: M3
 Remark:

MYCD-10



Model: **MYCD-10**
 Stroke: 10mm
 Screw Size: M4
 Remark:
 Mounting with MYZ-MX004

MYCD-20



Model: **MYCD-20**
 Stroke: 20mm
 Screw Size: M4
 Remark:
 Mounting with MYZ-MX004

MYC-7001



Model: **MYC-1840**
 Stroke: 40mm
 Screw Size: M4
 Remark:
 Mounting with MYZ-MX004
 *Suitable For work as kick stroke

MYC-BJS10




Model: **MYC-BJS10**
 Stroke: 10mm
 Screw Size: M4
 Remark:
 Mounting with MYZ-MX004
 Gripper Plate Included

MYC-7001




Model: **MYC-HS**
 Stroke: 30°
 Screw Size: M3
 Remark:
 Gripper plate Included

MYC-7001




Model: **MYC-7001**
 Stroke: 10mm
 Screw Size: M4
 Remark:
 Mounting with MYZ-MX004
 Gripper plate Included

MYGP-1423





Material Silicone
Dimension 14mm X 23mm

MYGP-3050




Material Silicone
Dimension 30mm X 50mm

MYGP-3636



Material Silicone
Dimension 36mm X 36mm

MYGP-3050V



Material Silicone
Dimension 30mm X 50mm (V Shape)

MYGP-3035



Material Silicone
Dimension 30mm X 35mm

MYGP-3050S (With Switch)




Material Silicone
Dimension 30mm X 50mm

MYGP-3050VS (With Switch)



Material Silicone
Dimension 30mm X 50mm

MYGP-3050VS (With Switch)



Material Silicone
Dimension Ø25mm

MYGP-3050VS (With Switch)



Material Silicone
Dimension Ø50mm

MYG-1080



Model: **MYG-1080**

Remark:
Mounting with MYZ-MX004

MYG-1080S



Model: **MYG-1080S**

Remark:
Mounting with MYZ-MX004
C/W micro confirmation switch

MYG-1060



Model: **MYG-1080**

Remark:
Mounting with MYZ-MX004

MYG-1060S



Model: **MYG-1060S**

Remark:
Mounting with MYZ-MX004
C/W micro confirmation switch

CHM-08ABS



Model: **CHM-08ABS**

Brand: PISCO

Screw Size: M10

Length: 37 mm

CHM-11ABS



Model: **CHM-11ABS**

Brand: PISCO

Screw Size: M12

Length: 42.5 mm

CHM-08AAS



Model: **CHM-08AAS**

Brand: PISCO

Mounting: Ø10mm

Length: 37 mm

CHM-11AAS




Model: **CHM-11AAS**

Brand: PISCO

Mounting: Ø12mm

Length: 42.5 mm

MHZ2-6D



Model: **MHZ2-6D**

Brand: SMC

Stroke: 4mm

When Open: 12mm

When Close: 8mm

Bore Size: 6mm

MHZ2-10D



Model: **MHZ2-10D**

Brand: SMC

Stroke: 4mm

When Open: 15.2mm

When Close: 11.2mm

Bore Size: 10mm

MHZ2-16D



Model: **MHZ2-16D**

Brand: SMC

Stroke: 6mm

When Open: 20.9mm

When Close: 14.9mm

Bore Size: 16mm

MHZ2-20D



Model: **MHZ2-20D**

Brand: SMC

Stroke: 10mm

When Open: 26.3mm

When Close: 16.3mm

Bore Size: 20mm

MYBF-6



Model: **MYBF-6**
Type: Straight Join
Tube Ø: 6 mm
Thread Size: M5

MYBF-5



Model: **MYBF-5**
Type: Straight Join
Tube Ø: 4 mm
Thread Size: M5

MYUTF-6



Model: **MYUTF-6**
Type: Branch Join
Tube Ø: 6 mm
Thread Size: M5

MYUEF-6



Model: **MYUEF-6**
Type: Elbow Join
Tube Ø: 6 mm
Thread Size: M5

MYPF



Model: **MYPF**
Type: Cyl. Plug
Tube Ø: None
Thread Size: M5

MYTF-6



Model: **MYTF-6**
Type: T Join
Tube Ø: 6 mm
Thread Size: M5

MYCF-5



Model: **MYCF-5**
Type: Straight Join (Cover)
Tube Ø: 4 mm
Thread Size: M5

MYCF-6



Model: **MYCF-6**
Type: Straight Join (Cover)
Tube Ø: 6 mm
Thread Size: M5

MYPEF-6



Model: **MYPEF-6**
Type: Plastic Elbow
Tube Ø: 6 mm
Thread Size: M5

MYPTF-6



Model: **MYPTF-6**
Type: Plastic Branch Join
Tube Ø: 6 mm
Thread Size: M5

MYPE-6



Model: **MYPE-6**
Type: Plastic Tee Union
Tube Ø: 6 mm
Thread Size: None

PISCO Tubing



Model	Size	Length
UB0425-20B	Ø4mm	20 meters
UB0425-100B	Ø4mm	100 meters
UB0640-20B	Ø6mm	20 meters
UB0640-100B	Ø6mm	100 meters
UB0850-20B	Ø8mm	20 meters
UB0850-100B	Ø8mm	100 meters
UB1065-20B	Ø10mm	20 meters
UB1065-100B	Ø10mm	100 meters
UB1280-20B	Ø12mm	20 meters
UB1280-100B	Ø12mm	100 meters
<i>Soft Nylon Vacuum Tubing</i>		
UD0640-20C	Ø6mm	20 meters
UD0640-100C	Ø6mm	100 meters

Power Supply


Mean Well Power Supply



Model	Current	Voltage
NES-50-12	4.2A	12V
NES-50-24	2.2A	24V
NES-75-12	6.2A	12V
NES-75-24	3.2A	24V
NES-100-12	8.5A	12V
NES-100-24	4.5A	24V
NES-200-12	17.0A	12V
NES-200-24	8.8A	24V
NED-35B	2.2A, 1.0A	5V, 24V
NED-50B	4A, 1.4A	5V, 24V
NED-75B	5A, 2A	5V, 24V
NED-100D	3A, 3.5A	5V, 24V

Manifold

MY-MF4




Model: **MY-MF4**

Outlet: 4



MY-MF6




Model: **MY-MF6**

Outlet: 6



MY-MF8




Model: **MY-MF8**

Outlet: 8




KC 2050-3




Applicable For HARMO HL II Main Arm Descent, STAR Robot...

MYG-2015




Applicable For HARMO HL II Main Arm Ascent, STAR Robot...

KC 2050-3BC / KC 2065-3BC



Applicable For Yushin Robot.

KC 2020-3



Applicable For HARMO Sub Arm Ascent/Descent, STAR, YUSHIN Robot...

KC 1415-3 / KC 1425-3



Applicable For HARMO, STAR, YUSHIN Kick Stroke...

Model	Screw Thread	Stroke (mm)	MAX. NM / Cycle (Nm)	Effective Weight (Kg)	MAX. Impact Speed	Remark
KC 0806-3	M8 X 1.0	6	1.8	5.6 ~ 20	0.8	
KC 1008-3	M10 X 1.0	8	3.2	10 ~ 40	0.8	
KC 1210-3	M12 X 1.0	10	6	12 ~ 75	0.8	
KC 1412-3	M14 X 1.5	12	16	56 ~ 200	0.8	
KC 1415-3	M14 X 1.5	15	20	65 ~ 250	0.8	
KC 1425-3	M14 X 1.5	25	28	25 ~ 350	1.5	
KC 2020-3	M20 X 1.5	20	35	50 ~ 700	1.2	
KC 2030-3	M20 X 1.5	30	46	65 ~ 550	1.2	
KC 2050-3	M20 X 1.5	50	62	55 ~ 490	1.5	
KC 2065-3	M20 X 1.5	65	75	65 ~ 700	1.5	
KC 2525-3	M25 X 2.0	25	78	110 ~ 1500	1.2	
KC 2540-3	M25 X 2.0	40	122	250 ~ 1700	1.0	
KC 2550-3	M25 X 2.0	50	140	200 ~ 2000	1.0	
KC 2580-3	M25 X 2.0	80	190	180 ~ 1300	1.0	
KC 3660-3	M36 X 1.5	60	250	520 ~ 3000	1.0	
KD 2030-3	M20 X 1.5	30	46	65 ~ 550	1.2	Double Stroke
KD 2050-3	M20 X 1.5	50	62	55 ~ 450	1.5	Double Stroke
KA 2020	M20 X 1.5	20	35	7 ~ 280	3.2	Adjustable
KA 2050	M20 X 1.5	50	62	11 ~ 490	3.5	Adjustable
KA2525	M25 X 1.5	25	80	15 ~ 500	3.2	Adjustable

Vacuum Generator

MYV-CV10-S



Model: **MYV-CV10-S**
Brand: CONVUM
Vacuum: -88 kPa
Pressure: 0.5 Mpa
Consumption: 46 L/min
Confirmation: YES

MYV-CV10



Model: **MYV-CV10**
Brand: CONVUM
Vacuum: -88 kPa
Pressure: 0.5 Mpa
Consumption: 46 L/min
Confirmation: NO

MYV-CV15-S



Model: **MYV-CV15-S**
Brand: CONVUM
Vacuum: -88 kPa
Pressure: 0.5 Mpa
Consumption: 95 L/min
Confirmation: YES

MYV-CV15



Model: **MYV-CV15**
Brand: CONVUM
Vacuum: -88 kPa
Pressure: 0.5 Mpa
Consumption: 95 L/min
Confirmation: NO

MYV-CV20-S



Model: **MYV-CV20-S**
Brand: CONVUM
Vacuum: -88 kPa
Pressure: 0.5 Mpa
Consumption: 185 L/min
Confirmation: YES

Sensor

GL-8F



Model: **GL-8F**
Brand: SunX

Applicable For:
MYG-HARMO-D


AN-21R



Model: **AN-21R**

Applicable For:
MYG-YUSHIN-C

AN-07R



Model: **AN-07R**
Brand: Aiqinuo

Applicable For:
MYG-HARMO-S
MYG-YUSHIN-A,B.
MYC-BJS10

AN-04N



Model: **AN-04N**
Brand: Aiqinuo

Applicable For:
Traverse Robotic Arm


D-73



Model: **D-C73**
Brand: SMC

Applicable For:
SMC Cylinder

D-A73





Model: **D-A73**
Brand: SMC

Applicable For:
SMC Cylinder

MYG-1615



Model No: **MYG-1615**
Opening Stroke: 23mm





Length: 144mm
Sensor: KT-07R (Not Included)

MYG-2015




Model No: **MYG-2015**
Opening Stroke: 28mm





Length: 170mm
Sensor: KT-07R (Not Included)

MYG-YUSHIN-A




Model No: **MYG-YUSHIN-A**
Opening Stroke: 34mm





Length: 156mm
Sensor: KT-07R (Not Included)

MYG-YUSHIN-B



Model No: **MYG-YUSHIN-B**
Opening Stroke: 34mm





Length: 156mm
Sensor: KT-07R (Not Included)

MYG-YUSHIN-C




Model No: **MYG-YUSHIN-C**
Opening Stroke: 34mm



Length: 156mm
Sensor: KT-07R (Not Included)


MYG-STAR-A



Model No **MYG-STAR-A**
Opening Stroke 30mm

Length 227mm
Sensor Included


MYG-HARMO-S



Model No **MYG-HARMO-S**
Opening Stroke 23mm

Length 160mm
Sensor Not Included


MYG-HARMO-D



Model No **MYG-HARMO-D**
Opening Stroke 23mm

Length 207mm
Sensor Not Included


MYG-MAX-A



Model No **MYG-MAX0A**
Opening Stroke 47mm

Length 191.75mm
Sensor Not Included

MYG-APEX-A



Model No **MYG-APEX-A**
Opening Stroke 29mm

Length 200mm
Sensor Not Included