







AT belt

Model	Type	Belt width/length (mm)									Dimensions (mm)
		7	10	15	20	25	40	50	75	100	
AT5	F	Minimum length 600 (120 teeth) Maximum length 10000 (2000 teeth)									
	J	Minimum length 460 (92 teeth) Maximum length 60000 (12000 teeth)									
	L	Maximum length 60000 (12000 teeth)									
AT10	F			Minimum length 600 (60 teeth) Maximum length 24000 (2400 teeth)					1350 (135 teeth)		
	J			Minimum length 700 (70 teeth) Maximum length 40000 (4000 teeth)							
	L			Maximum length 40000 (4000 teeth)							
AT20	F					Minimum length 1360 (68 teeth) Maximum length 24000 (1200 teeth)					
	L					Maximum length 25000 (1250 teeth)					

Flat belt




Model	Type	Belt width/length (mm)								Dimensions (mm)
		10	15	20	25	40	50	75	100	
F12	F	Minimum length 1500 Maximum length 10000								
F20	F		Minimum length 1500 Maximum length 24000							
	J		Minimum length 800 Maximum length 50000							
	L	Maximum length 50000								
F60	F				Minimum length 1500 Maximum length 24000					

F12, F20 are rubber material A, F60 is rubber material D.






Self-tracking belt with V-guide

Model	Type	Belt width/length (mm)								Dimensions (mm)
		25	30	40	50	75	100	125	150	
AT10-V	J	Minimum length 900 (90 teeth) Maximum length 40000 (4000 teeth)								
T5-V	J		Minimum length 465 (93 teeth) Maximum length 30000 (6000 teeth)							
T10-V	J				Minimum length 900 (90 teeth) Maximum length 40000 (4000 teeth)					


STD belt


Model	Type	Belt width/length (mm)									Dimensions (mm)
		7	10	15	20	25	40	50	75	100	
S3M	L	Maximum length 40002 (13334 teeth)									
S5M	L	Maximum length 40000 (8000 teeth)									
S8M	L			Maximum length 40000 (5000 teeth)							

Standard belt (Meters)

Model	Type	Belt width/length (mm)									Dimensions (mm)
		7	10	15	20	25	40	50	75	100	
T5	F	Minimum length 600 (120 teeth) Maximum length 10000 (2000 teeth)									
	J	Minimum length 855 (171 teeth) Maximum length 60000 (12000 teeth)									
	L	Maximum length 60000 (12000 teeth)									
T10	F			Minimum length 600 (60 teeth) Maximum length 24000 (2400 teeth)					1350 (135 teeth)		
	J			Minimum length 700 (70 teeth) Maximum length 50000 (5000 teeth)							
	L		Maximum length 50000 (5000 teeth)								
T20	F					Minimum length 1360 (68 teeth) Maximum length 24000 (1200 teeth)					
	J					Minimum length 1000 (50 teeth) Maximum length 30000 (1500 teeth)					
	L				Maximum length 30000 (1500 teeth)						
DT5	F	Minimum length 1350 (270 teeth) Maximum length 10000 (2000 teeth)									
DT10	F			Minimum length 1350 (135 teeth) Maximum length 24000 (2400 teeth)							

Wide belt

Model	Type	Belt width/length (mm)							Dimensions (mm)
		150	200	250	300	350	400	450	
T10	J	700 (70 teeth)	Minimum length 1000 (100 teeth)						
			Maximum length 50000 (5000 teeth)						

Model (pitch)	Type	Belt width(Upper: nominal width, lower: mm)/length (mm)		Dimensions (mm)
		500	600	
		127	152.4	
H (12.7)	J	Minimum length 850.9 (67 teeth)		
		Maximum length 40005 (3150 teeth)		

Please contact us if **L** (Linear type) is necessary.