Revision: 25.01.2022



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.06.2022

Version number 2 (replaces version 1)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- Trade name: FloorPro Industrial cleaner RM 69
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Detergent
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Alfred Kärcher SE & Co. KG

Alfred-Kärcher-Str. 28-40 D - 71364 Winnenden Tel.: +49-7195-14-0

Internet: www.karcher.com

· Further information obtainable from:

Department CSD-D Tel.: +49-7195-14-0

productsafety.management@de.kaercher.com

· 1.4 Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night

Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- Additional information:

Safety data sheet available on request.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.

(Contd. on page 2)



Printing date 10.06.2022

Version number 2 (replaces version 1)

Revision: 25.01.2022

Trade name: FloorPro Industrial cleaner RM 69

· vPvB: Not applicable.

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with non-hazardous additions.

· Dangerous components:			
CAS: 112-34-5 EINECS: 203-961-6 Index number: 603-096-00-8 Reg.nr.: 01-2119475104-44-xxxx	2-(2-butoxyethoxy)ethanol	① Eye Irrit. 2, H319	≥5-<10%
CAS: 15763-76-5 EINECS: 239-854-6 Reg.nr.: 01-2119489411-37-xxxx	sodium p-cumenesulphonate	♠ Eye Irrit. 2, H319	0.1-1%

Regulation (EC) No 648/2004 on detergents / Labelling for contents

non-ionic surfactants	<5%
perfumes	

· Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information No special measures required.
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Generally the product does not irritate the skin.
- · After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

(Contd. on page 3)



Printing date 10.06.2022 Version number 2 (rep

Version number 2 (replaces version 1) Revision: 25.01.2022

Trade name: FloorPro Industrial cleaner RM 69

(Contd. of page 2)

- · 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

· 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special measures required.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

112-34-5 2-(2-butoxyethoxy)ethanol

IOELV Short-term value: 101.2 mg/m³, 15 ppm Long-term value: 67.5 mg/m³, 10 ppm

(Contd. on page 4)



Printing date 10.06.2022 Version number 2 (replaces version 1) Revision: 25.01.2022

Trade name: FloorPro Industrial cleaner RM 69

			(Contd. of page 3,
· DNELs			
15763-76-	5 sodi	ım p-cumenesulphonate	
Oral	DNEL	3.8 mg/kg*d (consumer)	
Dermal	DNEL	136.25 mg/kg*d (employee)	
		68.1 mg/kg*d (consumer)	
Inhalative	DNEL	26.9 mg/m3 (employee)	
		6.6 mg/m3 (consumer)	
· PNECs			
15763-76-	5 sodi	um p-cumenesulphonate	
PNEC		0.23 mg/l (freshwater)	
		0.023 mg/l (marine water)	
		100 mg/l (STP)	
PNEC sediment		0.862 mg/kg (freshwater)	
		0.086 mg/kg (marine water)	
PNEC soil		0.037 mg/kg (soil)	

- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures

The usual precautionary measures are to be adhered to when handling chemicals.

- · Respiratory protection: Not necessary if room is well-ventilated.
- · Hand protection Not required.
- · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Fluid

· Eye/face protection Goggles recommended during refilling.

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information

· Physical state · Colour:

Colour: Blue
Odour: Product specific
Odour threshold: Not determined.

• Melting point/freezing point: 0 °C

· Boiling point or initial boiling point and boiling

range 100 °C

(Contd. on page 5)



Printing date 10.06.2022 Version number 2 (replaces version 1) Revision: 25.01.2022

Trade name: FloorPro Industrial cleaner RM 69

(Contd. of page 4) · Flammability Not applicable. · Lower and upper explosion limit · Lower: Not determined · Upper: Not determined. · Flash point: Not applicable not applicable · Ignition temperature: Decomposition temperature: Not determined. · pH at 20 °C 10.2 · pH-value 1 %: 7-9 · Viscosity: · Kinematic viscosity Not determined. · dynamic: Not determined. Solubility · Water: Fully miscible · Partition coefficient n-octanol/water (log value) Not determined. · Vapour pressure: Not determined. Density and/or relative density · Density at 20 °C: 1.02 g/cm³ Relative density Not determined. Not determined. · Vapour density · 9.2 Other information · Appearance: · Form: Fluid · Important information on protection of health and environment, and on safety. · Auto-ignition temperature: Product is not selfigniting. · Explosive properties: Product does not present an explosion hazard. · Solvent content: · Solids content: 11.9 % · Change in condition · Evaporation rate Not determined. · Information with regard to physical hazard classes · Explosives Void · Flammable gases Void · Aerosols Void · Oxidising gases Void · Gases under pressure Void · Flammable liquids Void · Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void · Pyrophoric solids Void · Self-heating substances and mixtures Void · Substances and mixtures, which emit flammable gases in contact with water Void

(Contd. on page 6)



Printing date 10.06.2022 Version number 2 (replaces version 1) Revision: 25.01.2022

Trade name: FloorPro Industrial cleaner RM 69

		(Contd. of page 5
· Oxidising liquids	Void	
· Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity corresponds to 10.3
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met

Acute	Addit toxiony based on available data, the classification chiefla are not met.		
· LD/LC50 values relevant for classification:			
112-34-5 2-(2-butoxyethoxy)ethanol			
Dermal	LD50	2,764 mg/kg (Rabbit)	
15763-7	15763-76-5 sodium p-cumenesulphonate		
Oral	LD50	>5,000 mg/kg (Rat) (OECD 401)	
Dermal	LD50	>2,000 mg/kg (Rabbit)	

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 7)



Printing date 10.06.2022

Version number 2 (replaces version 1)

Trade name: FloorPro Industrial cleaner RM 69

(Contd. of page 6)

Revision: 25.01.2022

· 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxic	· Aquatic toxicity:		
112-34-5 2-(2-1	112-34-5 2-(2-butoxyethoxy)ethanol		
LC50/96 h	1,300 mg/l (Lepomis macrochirus)		
EC10/16 h	1,170 mg/l (Pseudomonas putida)		
EC50/24 h	2,850 mg/l (Daphnia magna) (DIN 38412)		
NOEC	>100 mg/l (Desmodesmus subspicatus)		
15763-76-5 so	dium p-cumenesulphonate		
LC50/96 h (sta	tic) >100 mg/l (Oncorhynchus mykiss)		
EC50/48 h (sta	tic) >100 mg/l (Daphnia magna)		
EC50/96 h (sta	tic) >100 mg/l (Pseudokirchneriella subcapitata)		

- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · COD-value: 290.000 mg/l
- · General notes:

The product does not contain organically bounded halogens (AOX-free).

The contained organic complexing agents reach a DOC-elimination grade of 80% (corresponding to No. 406 of Annex "Analytic and measuring methods") and with this meet the tightened demands of Annex 49 of the revised Direction on liqid waste.

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

(Contd. on page 8)



Printing date 10.06.2022

Version number 2 (replaces version 1)

Trade name: FloorPro Industrial cleaner RM 69

(Contd. of page 7)

Revision: 25.01.2022

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Hand over to hazardous waste disposers.

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

· European waste catalogue

20 01 30 detergents other than those mentioned in 20 01 29

- · Uncleaned packaging:
- · Recommendation: Non contaminated packagings may be recycled.
- · Recommended cleansing agents: Water, if necessary together with cleaning agents.

SECTION 14: Transport information	1
· 14.1 UN number or ID number · ADR, ADN, IMDG, IATA	Void
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user	Not applicable.
· 14.7 Maritime transport in bulk accordi	ing to
IMO instruments	Not applicable.
· UN "Model Regulation":	Void

(Contd. on page 9)



Printing date 10.06.2022

Version number 2 (replaces version 1)

Trade name: FloorPro Industrial cleaner RM 69

(Contd. of page 8)

Revision: 25.01.2022

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 55
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

A product information sheet can be provided if requested.

· Relevant phrases

H319 Causes serious eye irritation.

Department issuing SDS: CSD-D

· Contact:

Department CSD-D Tel.: +49-7195-14-0

productsafety.management@de.kaercher.com

- · Version number of previous version: 1
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

· * Data compared to the previous version altered.

0-011-051-0

RM 69 IR/7

2.401

ΕU