



## Paragon Water Systems

Add: Add:26F of Chamtime Coporate Avenue,  
No.899 Haining Rd, 200085, Shanghai, China  
Tel: 86-021-62670111 Fax:86-021-63620180  
Emil : paragon@paragonwaterexport.com.cn  
www.paragonwaterexport.com.cn



Paragon Water  
Wechat



Paragon Water  
Weibo



Paragon water system is renowned water purification systems manufacturer. We were established in 1988 in Clearwater, Florida, USA. Paragon remains a best seller for 29 years and builds the sales network all over the world. Paragon expanded into bonded area Xiamen city China in April, 2002, opening sales office in Shanghai. Paragon water system focuses on offer people the high-quality life with good faith, excellent quality and professional service.



★ As a member of WQA, Paragon has been certificated by NSF. Also get the Health license approval of China' s ministry.

President' s Words  
Dear Friends,

Welcome to Paragon Water Systems!

Water covers more than 70 percent of the earth, but only 2.5 percent of it is fresh water, and two-thirds of that is locked up in ice caps and glaciers. The fresh water accessible in lakes, rivers, and streams is just six-thousands of one percent of the world' s total water. However, the worldwide water, air and other environmental pollution, which is caused by human social development, continues to increase. All of us need to remember " our earth " won' t give us a second chance. We must honor and respect our environment always. Paragon' s international reputation, has brought 29 years of western technology, experience and quality to offer the safe and healthy drinking water, creating a better living environment for people all over the world. Our excellent products & solutions help millions of families enjoy the "new life with clean water" brought by perfect water standards.


























*Jim Ellis*

Paragon is committed to your complete product satisfaction. I firmly believe that you will be completely satisfied with the purchased product and if you are not satisfied for any reason that I am offering a 100% refund guarantee during the 30 days period. When considering a water filter, it is wiser to also consider the warranties on the products. I am proud to offer the best warranty available on each Paragon product.

To understand the consumers' thoughts and needs is the important driving force to Paragon' s continuous progress. Paragon will cooperate with all of our distributors and partners to transmit the correct functions and the necessity of water filtration to the consumers. To make more people know and trust Paragon brand and enjoy the healthy lifestyle is our long-term goal.

## Expo 2010 Shanghai China Paragon is the proud supplier to the below Expo projects

 German Pavilion	 French Pavilion	 Italian Pavilion	 Sweden Pavilion	 Austria Pavilion
 Singapore Pavilion	 Korean Pavilion	 Philippines Pavilion	 Polish Pavilion	 Venezuelan Pavilion
 Japan Industrial Pavilion	 Chinese Shipping Pavilion	 Peru Pavilion	 Cuban Pavilion	 Chinese Aviation Pavilion
 International Development Information Network Association Pavilion	 Broad Air-conditioning Pavilion	 The Designated Apartment for Expo	 Chinese Food Street	 Chinese Railway Pavilion
 The Designated Cruises for Expo -Sheng Rong Guo Ji Cruises	 Mister Donut	 Lao Dong Beef Noodles		

## Paragon enters into Home Appliance Supermarket

 Homemart	 Easyhome	 Suning	 Yolo
 Walmart	 Red Star Macalline	 Gome	 Carrefour





## Paragon project

Paragon products contain: drinking water filter (POU), whole house water filter (POE), softener (PSE), shower filters etc

Paragon products are sold in Home appliance and Building material markets all over China.

Paragon has been one of the best water filters brand, chosen by China the Chain system.



哈根达斯



元素西式餐厅



豆捞坊



呷哺呷哺台式火锅



唐恩都乐咖啡饮品店



美式唐纳滋



星期五餐厅



PANKOO釜山料理



吾伴浓汤



巴贝拉意式休闲餐厅



## Starred Hotel



上海外滩华尔道夫酒店

上海展讯豪生大酒店

宁波泛太平洋大酒店

上海半岛酒店



苏州中茵皇冠假日酒店

深圳华盛希尔顿花园酒店

北京粤财JW万豪酒店

北京九华山庄温泉度假村

## Enterprise



中国水产研究院-东海水产研究所

法门寺

哈尔滨市儿童福利院

厦门市烟草公司



江西省井冈山机场



重庆兴业大厦



兴业银行重庆分行



重庆邻水急救中心



厦门大学



哈尔滨医科大学



重庆大学

Healthy Water

Fresh Water



Paragon Under Sink Water Filter P5250UC

- **High-tech product:** American patented high-tech KDF55 media; effectively removes heavy metal, chlorine, sulfuretted hydrogen, controls bacteria and scale.
- **Large capacity:** 75 tons (20,000 gallons); equivalent of 4,000 barrels of bottled water.
- **Maintenance Free:** No cartridge to change; not electricity needed for the life of the filter; absolutely maintenance free; prevent second contamination.
- **Qualifications and Certificates:**    
- **Under Counter:** World fashion, small size and nice design.
- **Good Service:** Free on-site installation by professionals; with satisfactory after sales services.
- **Investment and Return:** One-off investment, high quality benefits.
- **Applicable range:** Guest rooms in hotels, kitchen in families.



P5250UC

China's National Health appointed unit  
 Test Report from Institute of Environmental Health and Related Product Safety,  
 Chinese Center for Disease Control and Prevention (Excerpt)

Parameter	After P5250UC pure 189000L water quality	National drinking water standard
Color	<5	≤15
Turbidity	0.31	≤1
Visual Particle	/	/
PH	8.09	6.5-8.5
Iron	<0.05	≤0.3
Magnesium	<0.05	≤0.1
Copper	0.032	≤1.0
Zinc	0.345	≤1.0
Arsenic	<0.0005	≤0.01
Selenium	<0.0005	≤0.01
Mercury	<0.00005	≤0.001
Lead	<0.0005	≤0.01
Cyanide	<0.002	≤0.05
Fluoride	0.36	≤1.0
Sulfate	35.8	≤250
Chloride	20.3	≤250
Chloroform	1.27	≤60
Carbon tetrachloride	<0.1	≤2
volatile phenol	<0.002	≤0.002
Oxygen Consumption	0.87	≤3

Healthy Water

# Paragon



- The fifth stage:** The last filtration also uses micron pad to ensure fresh water and improve taste.
- The fourth stage:** Water passes quality-coconut made GAC – granular activated carbon to further reduce chlorine and odor, and effectively remove a variety of organic contaminants to improve taste.
- The third stage:** Water flows through another micron pad to further reduce all kinds of impure particles.
- The second stage:** Water passes KDF media. KDF55 is a high-purity copper-zinc formulations that removes most of the chlorine, sulfuretted hydrogen, and water soluble heavy metal in water using an oxidation / reduction (redox) reaction. KDF also inhibits the growth of microorganisms, and soften hard scales to improve taste.
- The first stage:** Water flows to the bottom of the filter, through the micron pad that removes sediment and other particles.



Tri-tube safe faucet  
 Pressure-enduring,leak-proof

Fresh Water

<b>Model</b>	P5250UC
<b>Dimensions:</b>	Φ11cm× 45cm
<b>Flow Rate:</b>	7.57 L/Min
<b>Capacity :</b>	20, 000 Gallons
<b>Working Pressure:</b>	0.1375-0.86Mpa
<b>Working Temperature:</b>	4 – 38℃
<b>Inlet water quality :</b>	Municipal water

\*Note : KDF55patent number : 4.642.192 , patent name:method of treating fluids / patent number : 5.122.274 , patent name:method of treating fluids patent number : 5.135.654 , patent name:method for treating fluids,information above comes from web:www.uspto.gov.



Paragon Under Sink Water Filter P2150UC P2350UC P2550UC

- American technology designed and developed, American original 100% imported
- Two stages filtration, CTO+composite cartridge, make the outlet water quality much better
- The 0.1 um CTO, efficiently remove all kinds harmful substances and bacterial and keep well the helpful material and microelement in water.
- P2350UC and P2550UC take well use of the American Paragon core technology researched "EPLP high efficient removal of lead activated carbon"



Paragon take care of you and your families' health



The new remove lead function, more suitable for babies and mom

<b>Model</b>	P2150UC P2350UC P2550UC
<b>Working Temperature:</b>	4-38°C
<b>Water Capacity:</b>	800L
<b>Inlet water quality :</b>	Municipal water
<b>Flow rate:</b>	1.7L/Min
<b>Working pressure:</b>	0.21-0.86MPa
<b>Size:</b>	diameter 220*320mm

Fresh Water



Paragon Under Sink Water Filter PW750F

- The water filter has two stages cartridges, remove sediments, rust and chlorine etc odor, reduce the organic pollutant.
- Install easy, just use the common install tools, and usually install it under sink with the separate faucet.
- Built-in Shut off Valve, replaces filters without turning off cold water line.
- Paragon PW750F water purification system design excellent, superior performance, no need tank, no waste water.

<b>Model</b>	PW750F
<b>Working Temperature:</b>	5-38°C
<b>Water Capacity:</b>	1800L
<b>Inlet water quality :</b>	Municipal water
<b>Flow rate:</b>	2L/Min
<b>Working pressure:</b>	0.2-0.69MPa
<b>Size:</b>	diameter 180*300mm



PW750F



Two stages



Automatic water cut-off valve



No discharge sewage



extruded activated carbon

Healthy Water



Paragon Under Sink Water Filter PW1250UF

- The water filter firstly use the two stages, then high efficient ultra-filtration, remove sediments, rust and dirt etc, all kinds of chlorine odor, reduce the organic pollutant, remove the total escherichia coli group and other harmful substances in water.
- Take use of the hollow fiber membrane technology; offer the larger pure water flow rate.
- Install easy, just use the common install tools, and usually install it under sink with the separate faucet.
- Built-in Shut off Valve, replaces filters without turning off cold water line.
- Paragon PW1250UF water purification system design excellent, superior performance, no need tank, no waste water

<b>Model</b>	PW1250UF
<b>Working Temperature:</b>	5-38°C
<b>Water Capacity:</b>	4500L
<b>Inlet water quality :</b>	Municipal water
<b>Flow rate:</b>	2L/Min
<b>Working pressure:</b>	0.2-0.69MPa
<b>Size:</b>	diameter 300*310mm



PW1250UF



three stages filtration



ultra-filtration membrane



quick twist-off



hollow fiber membrane

Fresh Water




# POU | Water Filter

Paragon Under Sink Water Filter PW3135UFB




## Smart display to cartridges replacement reminder

Fresh Water



Model	PW3135UFB
Working Temperature	5-38°C
Water Capacity	2000L
Inlet water quality	Conform to GB5749 municipal water
Flow Rate	1.5l/min
Working pressure	0.1-0.4Mpa
Size diameter	366*130*395mm


Paragon Under Sink Water Filter PW3235UFC




Special composite cartridge



Model	PW3235UFC
Working Temperature	5-38°C
Water Capacity	2000L
Inlet water quality	Conform to GB5749 municipal water
Flow rate	1.5l/min
Working pressure	0.1-0.4Mpa
Size diameter	366*130*395mm



## Three Stages Five purification



Fresh Water



# POU | Water Filter

## Paragon UF/UV Water Filter PW1031UVF PW1031UVW


Paragon takes use of high performance filter cartridge, remove the colloid, sand and rust, interception suspension floating impurities, remove residual chlorine, tetrachloride, methane etc. harmful substance, intercept Escherichia coli ,reduce the total number of colonies, using the UV to kill the virus, which makes the water healthy, offering the pure water.




Composite filter cartridge    UF cartridge    No waste water    Quick twist off

### UF water filter No waste water keep the minerals and microelement

Fresh Water



3 steps to change cartridges easily



UV lamp sterilize

# 4 In 1 UF cartridge

### Pleated cartridge

Remove the colloid, sand and rust, interception suspension Floating impurities

### UF membrane


Intercept escherichia coli, Such as bacteria, reduced total number of colonies, Removal of turbidity

### Big CTO

Remove residual chlorine, Carbon tetrachloride, Methane, greater than 80%

### Small CTO

Remove the peculiar smell of different color in water and improve the taste



Fresh Water

Model	PW1031UVF/PW1031UVW
Working temperature	5-38°C
Flow rate	1.5L/min
Flow capacity	4000L
Working pressure	0.1~0.4MPa
Input water quality	Meet municipal tap water
Product Dimension	168*194.9*347.7mm



# POU | Water Filter

## Ro Water Filter

PWRO400K3C PWRO500K3C PWRO600K3C



- Motor**  
Double mute motor
- Cartridge**  
Smart display cartridge reminder
- Maintenance**  
DIY cartridge

Fresh Water

No tank design

Water meter on top

Water leakage protect

# Using reverse osmosis membrane technology for the 4 stages water system

①PP/CTO composite cartridge  
Pre filtration of the raw water, remove sediments, absorb the smell and odor, chlorine and some organic pollutants

②CTO/PP composite cartridge  
Further remove color and odors, chlorine and some organic pollutants, remove the carbon power.



③/④membrane cartridge  
Effectively remove bacterial (total coliform, Escherichia coli etc) virus and heavy metal (Pb,As,Ge,Mn etc) residue,VOC, colloid

Fresh Water

<b>Model</b>	PWRO400K3C、PWRO500K3C、PWRO600K3C
<b>Working Temperature</b>	5-38°C
<b>Inlet water quality</b>	municipal water
<b>Flow Rate</b>	1.05l/min, 1.31l/min,1.55l/min
<b>Working pressure</b>	0.15-0.4Mpa
<b>Size diameter</b>	435*178*408mm



# POU | Water Filter

## Ro Water Filter


PWRO050S5F PWRO075S5F PWRO100S5F

- ◆ Three stages filtration, layer by layer purification, remove residual chlorine and Escherichia coli in the water, effectively reduce turbidity, chroma, visible matter, total dissolved solids, total bacterial colonies, and reduce the content of heavy metals such as lead, arsenic, cadmium and chromium (hexavalent).
- ◆ Intelligent Control, Cartridge Change Reminder, In Control
- ◆ Double Flush Mode (automatic/manual one-key flush)
- ◆ Quick change cartridge, easy to maintain, reduce the risk of leakage, prevent secondary pollution



PWRO050S5F PWRO075S5F PWRO100S5F

## Intelligent cartridge reminder, All in control



- Operation button
- Cartridge lifetime reminder  
Blue shows use normally  
Red shows to change the cartridge

## Changing the cartridge is as simple as changing a light bulb

Turn up the filter cartridge plate, remove and replace the filter cartridge, press down the filter cartridge plate, when hear the Click the cartridge replacement is successful.



## High precision purification technology, Drops pure, Health care



PP carbon compound filter cartridge, intercept suspended matter, sediment, red insects, rust and other solid impurities, adsorption of different color peculiar smell, residual chlorine, agricultural residues and other organic matter

RO cartridge  
The filtration micron is 0.001-0.0001um, effectively removing bacterial, heavy metal and other substances in the water.

Granular activated carbon cartridge, Remove the residual chlorine in the water, improve the taste and make the water sweet and delicious

<b>Model</b>	PWRO050S5F PWRO075S5F PWRO100S5F
<b>Working Temperature</b>	5-38°C
<b>Inlet water quality</b>	municipal water
<b>Flow Rate</b>	0.13L/min, 0.19L/min, 0.26L/min
<b>Working pressure</b>	0.1-0.4Mpa
<b>Size diameter</b>	362x128x328mm




**Paragon Counter-top Water Filter** P3200W/C

- Use the compressed carbon block, stronger adsorption, reduce the organic pollutants.
- The water filter no need electricity, more energy saving, environmental protection, safety and reliability.
- The product has two designs, fashion trend.
- It can change cartridge, U.S original imported, Certified by environmental hygiene testing of Chinese academy of preventive medicine, meet the national drinking water standard.
- Effectively reduce the following pollutants:
  1. Sediments, rust etc
  2. Chlorine etc odor, improve the taste
  3. Organic pollutants



Healthy Water



<b>Model</b>	P3200W/C
<b>Working Temperature:</b>	4-38°C
<b>Water Capacity:</b>	2800L
<b>Inlet water quality :</b>	Municipal water
<b>Flow rate:</b>	1.9L/Min
<b>Working pressure:</b>	0.21-0.69MPa
<b>Size:</b>	diameter 115*300mm

Fresh Water



# POU

## Paragon Counter-top Water Filter P3050CTD

- **Large Capacity:** 37 tons; equivalent of 2,000 barrels of bottled water.
- **Maintenance Free:** No cartridge to change before it meets the lifespan of the filter; absolutely maintenance free.
- **High-tech:** American patented high-tech KDF media effectively removes heavy metal, chlorine, sulfuretted hydrogen, controls bacteria and scale.
- **Easy to Install:** Easy to install, within 2 minutes.
- **High Quality Water:** Certified by environmental hygiene testing of Chinese academy of preventive medicine, meet the national drinking water standard




P3050CTD



Fresh Water



<b>Model</b>	P3050CTD
<b>Dimensions:</b>	Φ12.5cm× 19cm
<b>Flow Rate:</b>	7.4 L/Min
<b>Capacity :</b>	37 tons (10, 000 gallons) equivalent of 2, 000 barrels of bottled water
<b>Working Pressure:</b>	0.13-0.86Mpa
<b>Working Temperature:</b>	1 – 38 °C (34 – 100 °F)



- **The fifth stage:** The last filtration also uses micron pad to ensure fresh water and improve taste.
- **The fourth stage:** Water passes quality-coconut made GAC – granular activated carbon to further reduce chlorine and odor, and effectively remove a variety of organic contaminants to improve taste.
- **The third stage:** Water flows through another micron pad to further reduce all kinds of impure particles.
- **The second stage:** Water passes KDF media. KDF55 is a high-purity copper-zinc formulations that removes most of the chlorine, sulfuretted hydrogen, and water soluble heavy metal in water using an oxidation / reduction (redox) reaction. KDF also inhibits the growth of microorganisms, and soften hard scales to improve taste.
- **The first stage:** Water flows to the bottom of the filter, through the micron pad that removes sediment and other particles.

## Paragon Counter-top Water Filter

PW6300W/PW6300C/PW6300R

PW6300 Maintenance Free Countertop Available in Chrome, White, and Red



Fresh Water

<b>Model</b>	PW6300W/C/R
<b>DimenDimensions:</b>	Φ 9.8cm× 23.8cm
<b>Flow Rate:</b>	2L/Min
<b>Capacity :</b>	30,000gallons
<b>Working Pressure:</b>	0.1-0.35Mpa
<b>Working Temperature:</b>	40-100°F(4-38°C)



## Paragon Water Pitcher

### Water Pitcher

PW100WP8X1F PW100BP8X1F

- ◆ Activated carbon and ion exchange resin are used to adsorb residual chlorine and calcium ions in water, so as to achieve the purpose of purifying water.
- ◆ Effectively reduce impurities in drinking water, safe to drink.
- ◆ Effectively reduce scale, household appliances cleaner.
- ◆ Soften the water and make it more suitable for brewing tea and coffee.
- ◆ Wash, cook and prepare healthy food for peace of mind



PW100WP8X1F/PW100BP8X1F

#### Filter cartridge replacement display

Automatic reminder to replace the filter element to ensure the filtering effect

#### Automatic outlet

Pot Water Pitcher body tilt, good water come out

#### Point pressure injection port

It's easy and quick at the touch of a button

#### Filter Cartridge Slot

easy to replace the filter element

#### Arc handle

User-friendly handle, easy to carry



## Layer by layer filtration, good water come out

The filter cartridge can remove residual chlorine, lime scale, impurity, odor and so on in tap water, taste fresh and sweet after purification



- ✓ Remove sediment
- ✓ Remove small particles, scale.
- ✓ Remove residual chlorine, trihalo-methane and other disinfection products
- ✓ Remove color, odor
- ✓ Remove harmful heavy metals such as iron and manganese
- ✓ Retain trace elements necessary for the body

<b>Model</b>	PW100WP8X1F/PW100BP8X1F
<b>Working Temperature</b>	5-30°C
<b>Water Capacity</b>	80L
<b>Inlet water quality</b>	municipal water
<b>Flow Rate</b>	2L/min
<b>Working pressure</b>	0.1-0.4Mpa
<b>Size diameter</b>	275x175x305mm



# POE | Paragon Whole House Water Filter

Paragon water system is one of the professional water treatment companies, with the water treatment science, technology research and water treatment equipment manufacturing, service. After coming to China, Paragon has been adhering to the American company code, focus on the water treatment technology research and development, handpicked imported KDF55 and coconut activated carbon, use the US original auto valve, delicate shape, stable function, auto working, convenient and easy to use.



## 【 Paragon POE Whole House Water Filter System 】

The advanced American water treatment technology provides water for your whole family, and professional water improvement

Healthy Water



## Paragon POE Whole House Water Filter System

PW-0.5-50 PW-1.0-100 PW-1.2-120 PW-1.5-150 PW-2.0-200

- Superior quality**
  1. Precise manufacturing methods, strict compliance with quality control procedures, ensure compliance with industry standards.
  2. According to Paragon strict quality standard to design.
- Easy to install  
Lowest maintenance fee**
  1. The pressure tank is light and easy to install.
  2. Maintenance free- The tank does not need to be painted or coated with epoxy.
- corrosion protection**
  1. Pressure tank is made of high performance composite and resin fibers.
  2. Pressure tank is corrosion resistant and provide reliable service.



Paragon Central Water System(POE) Specifications					
Model	PW-0.5-50	PW-1.0-100	PW-1.2-120	PW-1.5-150	PW-2.0-200
Applied for	Villa, apartment, school and hotel, etc.				
Installation Requirement	Indoor, northwards balcony or shady place				
<b>Control Unit</b>					
Controller	GE electronic controller (American imported)				
Maximum Flow Rate	25 gpm (5.68 tons/hour)				
Maximum Backwash Flow Rate	20 gpm (4.5 tons/hour)				
Programmable Time Control	Unique "1 day – 7 days" Weekly Mode or "0.5 day – 99 days" Average Mode				
Duration of Backwash	1-99 minutes (adaptable)				
Duration of Rinse	12 minutes (default)				
<b>System Body Configuration</b>					
Core Filter Material	High-tech KDF55 alloy				
Other Filter Material	high-quality coconut made GAC				
Vessel	tank of food grade				
<b>System Specifications</b>					
Requirement of Incoming Water	municipal tap water source				
Recommended Flow Rate	0.5-0.8 t/h	1.0-1.2 t/h	1.2-1.5 t/h	1.5-2.0 t/h	2.0-2.5 t/h
Recommended Working Pressure	0.15 MPa ~ 0.30 MPa				
Temperature of Incoming Water	1~38°C				
Voltage of Power	220V AC / 50Hz				
<b>Dimension</b>					
Apparent Dimension (cm)	φ 28×60	φ 28×106	φ 22×132	φ 28×160	φ 32×152
Net Weight (exclude water)	≤12 kg	≤20 kg	≤22 kg	≤32 kg	≤36 kg
Connections before and after the system	3/4 inch & 1 inch				
Connections of Drain Pipe	3/4 inch				
Period of Warranty	5 years (not include cartridges)				



Paragon Water Softener

PSE-40 PSE-25 PSE-22 PSE-12

- **Application Range:** Widely used for villas, apartments, universities, beauty parlors, washing room where require the water quality more than municipal water.
- **Produce level:** Certified by environmental hygiene testing of Chinese acad emy of preventive medicine.

**Product feature:**

1. Effectively removes calcium and magnesium ions ,algae and solid suspended substances etc, to make the water soft and clear after filtration.
2. Uses American automatic GE valve which is safe, efficient and energy saving.
3. The unique automatic maintenance function can automatically restore softening function of the whole system. It can keep the water pressure the same before and after treated, also ensures stable flow rate.
4. Full range of models, whatever your apartment is like, there is a model for you.

<b>Soft</b> soften clothes new color	<b>Natural</b> retain skin moisture soften hair	<b>Protect</b> protect system completely eradicate scale	<b>Smart</b> Intelligent control stable performance
--	---	--	---

Healthy Water




PSE-40 PSE-25 PSE-22 PSE-12



Original import valve  
Healthy and reassuring

Paragon water softener has the unique self-maintenance function, it can timed restore the whole system soft water treatment efficiency, so it has the long term and stable softening function, no need change filter media often. It greatly reduced the running cost. According the customer' s different requirements, we can make the system by parallel-series or series connection, which can increase the produced water capacity, or further improve water quality.

Paragon PSE Whole House Water Softener System



Fresh Water

Model	Cabinet	Apartment	Villa	Villa
	PSE-075 ( PSE-12 )	PSE-10 (PSE-22)	PSE-25	PSE-40
Controller	GE electronic controller (American imported)			
Regeneration period	0.5-99 day average mode , 1-7 day customized mode			
Recommended Flow Rate	1.0t/h	1.2t/h	2.5t/h	4t/h
Raw water	Municipal water, Caco3≤ 450mg/L			
Recommended Working Pressure	0.15 MPa ~ 0.30 MPa			
Temperature of Incoming Water	1~ 38°C			
Voltage of Power	220V AC / 50Hz			
Connections before and after the system	3/4 inch & 1 inch			
Connections of Drain Pipe	1/2 inch			
Machine Dimension (mm)	225*460*650	334*559*658	334*559*1118	334*559*1340
Net Weight (exclude water)	≤18kg	≤20 kg	≤36 kg	≤52 kg



# Paragon Central Pre-filter

## Paragon Central Pre-filter

PW1097PR5B PW1093PP3B PW1091PM2



PW1097PR5B

### Paragon gimbal pre-filter

- 316 stainless steel filter mesh
- 360 gimbal and convenient installation, double and super siphon
- High pressure backwash mode, no need change cartridge
- With water pressure meter, real-time monitoring of water pressure
- High flow rapid drain out
- Pressure can be regulated and controlled



PW1093PP3B

### Paragon pressure stabilization pre-filter

- Safety shock-proof and explosion-proof transparent housing
- 316L stainless steel
- Double Internal and external siphon cleaning system
- High pressure backwash
- Environmental cooper material no lead, no need electricity
- Pressure can be regulated and controlled



PW1091PM2

### Paragon pre-filter

- Double siphon cleaning system
- Transparent explosion-proof cover, more safe & intuitive
- Siphon technology; clean the sediments in filter mesh
- Water hammer proof design, which can prevent leakage

## Central pre-filter function

Central Pre-filter normally installed at the front-end of the house water pipe, mainly to remove the sands, gravels, debris, rusts, and other sediments, etc, avoid the damage of human body and skin; also protect the down-steam pipe, water filter, water heater, washing machine and high standard faucet, shower filters etc.



<b>Model</b>	PW1097PR5B/PW1093PP3B/PW1091M2
<b>Working Temperature:</b>	5-38°C
<b>Precision :</b>	40-90µm
<b>Raw water quality:</b>	Municipal water
<b>Working pressure :</b>	0.15-0.35MPa
<b>Measure:</b>	140*155*310/145*66*280/148*66*276MM
<b>Strainer materials :</b>	SUS316L stainless steel

## Paragon Central Pre-filter

PW1093PP5BA

## "Water guard" makes the life of water equipment longer

- Auto back wash at any time (7-45 days backwash periodic setting), with the power adapter
- Using the pressure button to control the water pressure, reduce pressure, stable pressure, high pressure water cut off protection function
- The first pre-installed pressure stabilizing valve, protect the housing and water machine in house, safe and reliable
- Accurate water pressure meter, real-time monitoring of water pressure, safe using water
- Standard offer 1" to 3/4" connector, can also choose 1/2" connector, humanized equipment
- Offering reusable, longer life "plastic king" PTFE gasket
- Imported no replacement medical grade SUS316L stainless steel, extremely resistant to corrosion and never rust
- High precision 40-50µm, 70-90µm filter mesh selectable
- Standard 58 copper, high precision red stamping and independent finishing process
- Import PC material, Unique modified secret formula bottle blasting pressure over 65 kg
- Unique modified housing 12kg tighten water hammer test 150000 times, professional
- Luxury dazzle color splash-proof cover, free installation plug-in sewage outlet
- Snap button, which can switch modules at any time




PW1093PP5BA



**Valve automatic controller**  
Clean up at any time under you control



**Double siphon cleaning system**  
Double scraping, cleaning without worries



**Medical grade 316 stainless steel**  
High precision filter, extremely resistant to abrasion and rust



**Water hammer test**  
Exceeding NSF standard, 150000 anti-fatigue test

<b>Model</b>	PW1093PP5BA
<b>Working Temperature:</b>	5-38°C
<b>Precision :</b>	40-90µm
<b>Raw water quality:</b>	Municipal water
<b>Working pressure :</b>	0.1-0.35MPa
<b>Measure:</b>	365*185*120MM
<b>Strainer materials :</b>	SUS316L stainless steel



# Paragon Shower Filter

## Paragon Shower Filter HSF-1 SHF-1 WMF-1

- ◆ Removes most chlorine in the water
- ◆ Removes most heavy metal
- ◆ Removes organic pollutants and pesticide, sulfide in the tap water
- ◆ Avoid scale or soap scum build up
- ◆ Shower with massage function which makes you relaxed from a days' tension
- ◆ Install in seconds
- ◆ No Tools Required
- ◆ Easy to replace filter cartridges (HSF-1, WMF-1)



<b>Model</b>	HSF-1
<b>Dimensions:</b>	Diameter 95*245mm
<b>Inlet water quality:</b>	Municipal water
<b>Capacity :</b>	10, 000 gallons
<b>Working Pressure:</b>	0.1375-0.55Mpa
<b>Working Temperature:</b>	4 – 65 °C



# Enjoy the shower's happiness and comfort




SHF-1



WMF-1

<b>Model</b>	SHF-1
<b>Dimensions:</b>	Diameter 50*178mm
<b>Inlet water quality:</b>	Municipal water
<b>Capacity :</b>	10, 000 gallons
<b>Working Pressure:</b>	0.1375-0.55Mpa
<b>Working Temperature:</b>	4 – 65 °C

<b>Model</b>	WMF-1
<b>Dimensions:</b>	Diameter 90*130mm
<b>Inlet water quality:</b>	Municipal water
<b>Capacity :</b>	10, 000 gallons
<b>Working Pressure:</b>	0.1375-0.55Mpa
<b>Working Temperature:</b>	4 – 65 °C



Filter Cartridge



Install

Fresh Water

Fresh Water